



BV LCIE
CHINA
Number

N°2066AS08AVSV36278

ATTESTATION of conformity with European Directives

Product: PV inverter (Grid-tied photovoltaic inverter)
Reference: T4,T5,T6,T8,T10,T12,T15,T17,T20
Issued to: Maitian Energy Co., Ltd
Address: Room A203, Building C, No 205, Binghai Six Road, New Airport Industry Area, Longwan District, Wenzhou, Zhejiang Province
Manufacturer: Maitian Energy Co., Ltd
Technical characteristics: See below table

The submitted sample of the above equipment has been tested for **CE** marking according to following European Directive and following standards:

Low Voltage Directive 2014/35/EU

Standards	Report number	Report date
EN 62109-1:2010 EN 62109-2 :2011	AVSV-ESH-P20080050-1 AVSV-ESH-P20080050-2	2020-08-03

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive

This verification does not imply assessment of the production of the product
The **CE** marking may be affixed if all relevant and effective European Directives with **CE** are applicable

Shanghai (P.R. China),), Aug. 3rd, 2020.



Harvey Wang
Product Line Manager



This document shall not be reproduced, except in full, without the written approval of BV LCIE China.
Information given in this document, are related to the tested specimen of the described electrical sample.

LCIE CHINA
必维欧亚电气技术咨询服务(上海)有限公司

Building 4, No. 518, Xin Zhuan Road,
CaoHejing Songjiang High-Tech Park,
Shanghai P.R.C (201612)

Tel: +86 21 6195 7000
Fax: +86 21 6195 7001
Email: contact@cn.bureauveritas.com

Version 3/2016.02.19



LCIE

BV LCIE
CHINA
Number

N°2066AS08AVSV36278

Model / Type.....:	T4	T5	T6	T8
MPP DC voltage range [V].....:	160-850			
Max. Input DC voltage [V].....:	1100			
Max. Input DC current [A].....:	12,5/12,5			
Output AC voltage [V].....:	3/N/PE, 400V a.c., 50Hz			
Max. Output AC current [A].....:	6,4	8,0	9,6	12,8
Rated output power [VA].....:	4000	5000	6000	8000

Model / Type.....:	T10	T12	T15	T17	T20
MPP DC voltage range [V].....:	160-850				
Max. Input DC voltage [V].....:	1100				
Max. Input DC current [A].....:	12,5/12,5				
Output AC voltage [V].....:	3/N/PE, 400V a.c., 50Hz				
Max. output AC current [A].....:	15,9	19,2	23,9	27,1	31,9
Rated output power [VA].....:	10000	12000	15000	17000	20000

Shanghai (P.R. China),), Aug. 3rd, 2020.



Harvey Wang
Product Line Manager



This document shall not be reproduced, except in full, without the written approval of BV LCIE China.
Information given in this document, are related to the tested specimen of the described electrical sample.

LCIE CHINA
必维欧亚电气技术咨询服务(上海)有限公司

Building 4, No. 518, Xin Zhuan Road,
CaoHejing Songjiang High-Tech Park,
Shanghai P.R.C (201612)

Tel: +86 21 6195 7000
Fax: +86 21 6195 7001
Email: contact@cn.bureauveritas.com

Version 3/2016.02.19