

# SAFETY DATA SHEET

## Lithium ion Battery Module HV2600

FOXESS CO., LTD.

- According to GHS (Eighth Revised Edition)



### Section 1 Product and Company Identification

#### > Product Identifier

Product Name	Lithium ion Battery Module HV2600
Synonyms	-
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

#### > Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses	Please consult manufacturer.
Uses Advised Against	Please consult manufacturer.

#### > Details of the Supplier of the Safety Data Sheet

Applicant Name	FOXESS CO., LTD.
Application Address	Room A203, Building C, No.205, Binhai Six Road, New Airport Industry Area, Longwan District, Wenzhou, Zhejiang Province
Applicant Post Code	325058
Applicant Telephone	+86-510-68092998
Applicant Fax	—
Applicant E-mail	liqin@fox-ess.com
Supplier Name	FOXESS CO., LTD.
Supplier Address	Room A203, Building C, No.205, Binhai Six Road, New Airport Industry Area, Longwan District, Wenzhou, Zhejiang Province
Supplier Post Code	325058
Supplier Telephone	+86-510-68092998
Supplier Fax	—
Supplier E-mail	liqin@fox-ess.com

#### > Emergency Phone Number

Emergency Phone Number	+86-510-68092998
------------------------	------------------

### Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

#### > GHS Hazard Class

This product meets the definition of an article. Under the Globally Harmonized System of Classification and Labeling of Chemicals (GHS), "Articles" as defined

in the Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, or by similar definition, are outside the scope of the system. [Rev.8 (2019) Part 1.3.2.1.1]

## > GHS Label Elements

**Pictogram** Not applicable

**Signal Word** **Not applicable**

## > Hazard Statements

Not applicable

## > Precautionary Statements

### Prevention

Do not open or disassemble.  
Do not expose to high temperatures or open fire.  
Do not mix with batteries of varying sizes, chemistries or types.  
Avoid using external impact battery.

### Response

Not applicable

### Storage

Store under roof in cool, dry, well-ventilated areas.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Aluminum Foil	3.5	7429-90-5	231-072-3
Copper Foil	7.8	7440-50-8	231-159-6
Lithium Iron Phosphate	34.1	15365-14-7	-
Carbon (proprietary)	16.7	7782-42-5	231-955-3
Separator (proprietary)	3	9003-07-0	-
Electrolyte (proprietary)	20.3	-	-
Aluminum Alloy	14.6	7429-90-5	231-072-3

## Section 4 First Aid Measures

### > Description of First Aid Measures

#### General Advice

Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

#### Eye Contact


Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

#### Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

#### Ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.



**Inhalation** Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.

**Protecting of First-aiders** Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> **Most Important Symptoms and Effects, both Acute and Delayed**

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> **Indication of Any Immediate Medical Attention and Special Treatment Needed**

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

## Section 5 Fire Fighting Measures

> **Extinguishing Media**

**Suitable Extinguishing Media** Dry chemical, carbon dioxide or alcohol-resistant foam.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter or spread fire.

> **Specific Hazards Arising from the Substance or Mixture**

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> **Advice for Firefighters**

- 1 As in any fire, wear self-contained breathing apparatus ( MSHA/NIOSH approved or equivalent)and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Section 6 Accidental Release Measure

> **Personal Precautions, Protective Equipment and Emergency Procedures**

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> **Environmental Precautions**

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> **Methods and Materials for Containment and Cleaning Up**

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.



## Section 7 Handling and Storage

### > Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

### > Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

## Section 8 Exposure Controls/Personal Protection

### > Control Parameters

#### Occupational Exposure Limit Values

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Aluminum Alloy 7429-90-5	USA - OSHA	-	15	-	-
	South Korea	-	10	-	-
	Ireland	-	1	-	-
	Germany (DFG)	-	4	-	-
	Denmark	-	5	-	10
	Australia	-	10	-	-
Copper Foil 7440-50-8	The Netherlands	-	0.1	-	-
	Poland	-	0.2	-	-
	Latvia	-	0.5	-	1
	Germany (DFG)	-	0.01	-	0.02
Carbon (proprietary) 7782-42-5	USA - OSHA	-	15	-	-
	South Korea	-	2	-	-
	Ireland	-	10	-	-
	Germany (DFG)	-	4	-	-
	Denmark	-	2.5	-	5
	Australia	-	3 (4)	-	-
Aluminum Alloy 7429-90-5	USA - OSHA	-	15	-	-
	South Korea	-	10	-	-
	Ireland	-	1	-	-
	Germany (DFG)	-	4	-	-
	Denmark	-	5	-	10

	Australia	-	10	-
--	-----------	---	----	---



### Biological Limit Values

No information available

### Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

### > Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

### > Personal Protection Equipment

<b>Eye Protection</b>	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
<b>Hand Protection</b>	Wear protective gloves ( such as butyl rubber ) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
<b>Respiratory protection</b>	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
<b>Skin and Body Protection</b>	Wear fire/flame resistant/retardant clothing and antistatic boots.

## Section 9 Physical and Chemical Properties

**Appearance:** Lithium ion Battery , individually packaged , 51.2V 50Ah 2560Wh

**Odor Threshold:** No information available

**Melting Point/Freezing Point (°C):** No information available

**Flash Point (°C)( Closed Cup):** Not applicable

**Flammability:** No information available

**Vapor Pressure (KPa):** Not applicable

**Relative Density(Water=1):** No information available

**n-Octanol/Water Partition Coefficient:** No information available

**Decomposition Temperature (°C):** No information available

**Particle characteristics:** No information available

**Odor:** No information available

**pH:** No information available

**Initial Boiling Point and Boiling Range (°C):** No information available

**Evaporation Rate:** Not applicable

**Upper/lower explosive limits[%(v/v)]:** Upper limit : No information available ; Lower limit : No information available

**Relative Vapour Density(Air = 1):** Not applicable

**Solubility:** No information available

**Auto-Ignition Temperature(°C):** No information available


**Kinematic Viscosity (mm<sup>2</sup>/s):** Not applicable

## Section 10 Stability and Reactivity

**Reactivity** Contact with incompatible substances can cause decomposition or other chemical reactions.

**Chemical Stability** Stable under proper operation and storage conditions.

**Possibility of Hazardous Reactions** Ultrafine powder will self-ignite in the air at room temperature. Reacts severely with halogens, interhalogens or other strong oxidants, or causes a fire. Mixtures



	with metallic acetylene, when heated, cause a fire or incandescence.
<b>Conditions to Avoid</b>	Incompatible materials, heat, flame and spark.
<b>Incompatible Materials</b>	Oxidants, halogen, interhalogen and mercury. Halogen, interhalogen, strong oxidant, water and acids. Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates, inorganic peroxides, metal oxides and peroxyformic acid.
<b>Hazardous Decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 Toxicological Information

### > Acute Toxicity

No information available

### > Skin Corrosion/Irritation

No information available

### > Serious Eye Damage/Irritation

No information available

### > Skin Sensitization

No information available

### > Respiratory Sensitization

No information available

### > Germ Cell Mutagenicity

No information available

### > Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	7429-90-5	Aluminum Foil	Not Listed	Not Listed
2	7440-50-8	Copper Foil	Not Listed	Not Listed
3	15365-14-7	Lithium Iron Phosphate	Not Listed	Not Listed
4	7782-42-5	Carbon (proprietary)	Not Listed	Not Listed
5	9003-07-0	Separator (proprietary)	Category 3	Not Listed
6	-	Electrolyte (proprietary)	Not Listed	Not Listed
7	7429-90-5	Aluminum Alloy	Not Listed	Not Listed

### > Reproductive Toxicity

No information available

### > Reproductive Toxicity (Additional)



No information available

> **STOT-Single Exposure**

No information available

> **STOT-Repeated Exposure**

No information available

> **Aspiration Hazard**

No information available

## Section 12 Ecological Information

> **Acute Aquatic Toxicity**

Component	CAS No.	Fish	Crustaceans	Algae
Copper Foil	7440-50-8	LC <sub>50</sub> : 0.665mg/L (96h)(Fish)	EC <sub>50</sub> : 0.02mg/L (48h)	ErC <sub>50</sub> : 7.9mg/L (96h)
Aluminum Foil	7429-90-5	LC <sub>50</sub> : 1.55mg/L (96h)(Fish)	No information available	No information available

> **Chronic Aquatic Toxicity**

Component	CAS No.	Fish	Crustaceans	Algae
Aluminum Alloy	7429-90-5	NOEC : 1.55mg/L(Fish)	No information available	No information available

> **Others**

**Persistence and Degradability**  
**Bioaccumulative Potential**  
**Mobility in Soil**

No information available

No information available

No information available

**Results of PBT and vPvB Assessment**

Aluminum Foil does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Copper Foil does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Lithium Iron Phosphate does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Carbon (proprietary) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Separator (proprietary) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Aluminum Alloy does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

## Section 13 Disposal Considerations

**Waste Chemicals**

Before disposal should refer to the relevant national and local laws and

**Contaminated  
Packaging  
Disposal  
Recommendations**

regulation. Recommend the use of incineration disposal.

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. Refer to Waste chemicals and Contaminated packaging.

**Section 14 Transport Information****Transporting Label****Marine pollutant**

None

**UN Number**

3480

**UN Proper Shipping Name**

LITHIUM ION BATTERIES(including lithium ion polymer batteries)

**Transport Hazard Class**

9

**Transport Subsidiary Hazard Class**

NONE

**Packing Group**

Packagings shall conform to the packing group II performance level  
According to United Nations Recommendations on the Transports of

**Report remarks**

Dangerous Goods•Model Regulations, Lithium batteries could be transported in accordance with the classification conclusions of this report when meet the requirements of UN38.3 test.

**Section 15 Regulatory Information****> International Chemical Inventory**

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Aluminum Foil	✓	✓	✓	✓	✓	✓	✓	✓	✗
Copper Foil	✓	✓	✓	✓	✓	✓	✓	✓	✗
Lithium Iron Phosphate	✓	✓	✓	✗	✗	✗	✓	✗	✗
Carbon (proprietary)	✓	✓	✓	✓	✓	✓	✓	✓	✗
Separator (proprietary)	✗	✓	✓	✓	✓	✓	✓	✓	✓
Electrolyte (proprietary)	✗	✗	✗	✗	✗	✗	✗	✗	✗
Aluminum Alloy	✓	✓	✓	✓	✓	✓	✓	✓	✗

【EINECS】 European Inventory of Existing Commercial Chemical Substances.

【TSCA】 United States Toxic Substances Control Act Inventory.

【DSL】 Canadian Domestic Substances List.

【IECSC】 China Inventory of Existing Chemical Substances.

【NZIoC】 New Zealand Inventory of Chemicals.

【PICCS】 Philippines Inventory of Chemicals and Chemical Substances.

【KECI】 Existing and Evaluated Chemical Substances.

【AICS】 Australia Inventory of Chemical Substances.

【ENCS】 Existing And New Chemical Substances.



"√" Indicates that the substance included in the regulations

"x" That no data or included in the regulations



## Section 16 Additional Information

<b>Creation Date</b>	2021/08/17
<b>Revision Date</b>	2021/08/17
<b>Reason for Revision</b>	-

### > Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.